

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

SS-31 - 10mg

Tested for: Pep Select
www.pepselect.com

COA #: COA-2026-QUWG-S
Lot Number: SS1026233GX
Accession #: ACC-2026-17630
Labeled Content: 10mg

Analysis Date: 09/03/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 08/27/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: TJBSLJ8X

Method: Purity, Identity & Quantitation (HPLC), Sterility (PCR)

Identity SS-31	Peptide Purity 99.60%	
--------------------------	---------------------------------	--


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.60%	%	PASS
Net Peptide Content	Report Only	10.55	mg	N/A
Identity (HPLC-RTM)	SS-31	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



SS-31 10mg - SS1026233GX

HPLC Chromatogram



SS-31 10mg - SS1026233GX: UV Chromatogram

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Notes & Methodology

- Date Tested: 09/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be SS-31 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.